1



Friday 10th March - Materials Decathlon - Challenge n°8 - 40'

SELF-FOLDING MATERIALS

Self-folding is a process that causes a predefined 2D template to fold into a desired 3D structure with high fidelity. Self-folding may be useful for packaging, actuation, and sensing. Our approach to self-folding implies drawing patterns of ink on a pre-stressed polymer sheet which will shrink in-plane up to 50-60% by uniform heating over 120 °C. The pre-stressed polymer sheets (Shrinky-Dinks¹) are a commercially available toy. The black ink (i.e., the hinge) can be patterned using a pen or a desktop printer on either side of the transparent sheets. Hinges absorb selectively the light to heat the underlying polymer and cause the polymer to shrink, while the polymer without black ink pattern doesn't shrink, therefore the 2D patterned polymer sheets can fold into complex 3D structures (e.g., cubes, tetrahedrons) within seconds.

- Watch "3D objects just add light" you-tube video (less than 1' long) <u>https://www.youtube.com/watch?v=NKRWZG67dtQ</u> from the Dept. of Chemical and Biomolecular Engineering University of North Carolina (USA).
- 2. On the desk you have a plastic sheet of the same type shown in the video. This is *Shrinky-Dinky*(SD) a pre-pressed polymer sheet. Draw a geometric figure (like a flat open cube or polyedra) with a black marker. Be careful to draw strong wide black lines on both sides of the sheet. Thin lines do not work! Your challenge is to draw one of such self-folding structures [*Suggestion: DO NOT exaggerate with dimensions: the smaller the better. 2.5 cm for the cube side dimension will be ok*!]
- 3. Turn on the hotplate and preheat the temperature to **80-90** °C. Aluminium foil can protect the surface of the hotplate and a glass slide can provide a flat surface to work on.
- 4. Put the patterned SD on the hotplate by using tweezers, and adjust the distance between the infrared (IR) heat lamp and the hotplate to be approx. 5 cm.
- 5. Turn on the IR heat lamp and observe the self-folding of patterned SD. Shoot a video!
- 6. Turn off the lamp (or simply remove the sample from light) upon completion of the folding. If you expose the SD too long to heat, it will deform.
- **Q1.** Discuss with your team a possible innovative application for this material.

Q2. Shrinky-Dinky is rather expensive, so it's worth looking for alternatives. <u>*Test other plastic samples*</u>: does any of them exhibit the same shrinking behaviour as Shrinky Dinky?

OUTPUT WANTED:

-> one video of one of the self foldingshapes +one 3D self-folded [chose the best you were able to made]

-> answer of question Q1 and Q2

¹ polystyrene thermoplastic

pag. 1 Funded by EU under the Erasmus+ KA2 grant N° 2014-1-IT02-KA201-003604_1. This work is licensed under a <u>Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License</u>





Materials Science Exploration – Chall. 8

Answer sheet

GROUP N°_____

2

Ch.8 --- SELF-FOLDING MATERIALS

<u>Q1</u>

<u>Q2</u>

<u>VIDEO</u> [Sent by Whatsapp to your group – See general instruction to share pictures or files]

• Video description:

Remember to give your (best) 3D self folded to the teacher in charge at the end of the activity





3

Teachers' Notes

Technical notes:

• ???

Organizational notes:

• Each student will keep a copy of the students' sheet but the group will collectively fill in the answer sheet and give it over to the teacher in charge at the end of the lab.

Correction grid

Question or Request	Note	Max. score
Q1	Evaluate originality and feasibility	3
Q2	Evaluate if answer is motivated on test	3

Video + 3D self folded model: make a ranking from the best to the worse one (consider both video and model – if possible avoid shared position); mark 14 points to the best one, 12 points to the second one, etc.

Key to Answer: quantity and quality of self-folding samples obtained by each group

MoM Resources (http://www.mattersofmatter.eu/mom-materials/)

- Video IR-SELFFOLDING
- Ch2_TEACH_EN_Seeing NIR
- Ch8_TEACH_EN_Temperature&IR
- FCh2_TEACH_EN_Cool roofs
- FCh1_TEACH_EN_window film for solar control

References

- <u>https://en.wikipedia.org/wiki/Shrinky_Dinks</u>
- Self-Folding of Shrinky-Dinks: A Science Activity for Middle / High School Students
- (Dr. Michael Dickey & amp; Ying Liu: NC State Chemical Engineering)
- https://news.ncsu.edu/2011/11/wmsdickeyfolding/
- Free download at <u>https://repository.lib.ncsu.edu/bitstream/handle/1840.16/9849/etd.pdf?sequence=2</u>
- <u>http://pubs.rsc.org/en/Content/ArticleLanding/2008/LC/b711622e#!divAbstract</u> for more serious purposes, Shrinky Dink to create Microfluidics

Where to buy

Shrinky dink – Amazon in toys for children. Sold in sheets

N.B. However in Italy some packages of Stracchino (soft cheese) make use of the same kind of plastic which can be used at zero cost

Acknowledgments

Michael Dickey- Dept. of Chemical and Biomolecular Engineering University of North Carolina (USA), for his kind suggestions about the use of Shrinky Dink to simulate IR selffolding





Photogallery











Co-funded by the Erasmus+ Programme of the European Union

This project has received funding from the European Union's Erasmus + <u>Programme</u> for Education under KA2 grant 2014-1-IT02-KA201-003604. The European Commission support for the production of these didactical materials does not constitute an endorsement of the contents which reflects the views only of the authors, and the Commission cannot be held responsible for any use which may be made of the information contained therein.

 \bigcirc

All MoM-Matters of Matter materials, this sheet included, belong to MoM Authors (www.mattersofmatter.eu) and are distributed under Creative Commons 4.0 not commercial share alike license as OER Open Educational Resources

pag. 4 Funded by EU under the Erasmus+ KA2 grant N° 2014-1-IT02-KA201-003604_1. This work is licensed under a <u>Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License</u>



4